



SecuForte[®] –
Simple. Different. More secure.

Innovation from HOPPE

SecuForte®

VarioFit®



With SecuForte®, HOPPE offers a completely new standard in burglary resistance. When the window is closed or tilted, the handle is automatically locked. It is a unique concept that protects against the unauthorised opening of a window from outside.

SecuForte® has been registered for both a patent and a brand.

Simple. Different. More secure.

Window handles with SecuForte® give burglars essentially no options for manipulating the window: As long as the handle is disconnected from the square spindle, it is virtually impossible to operate the handle from outside. SecuForte® protects not only against displacing the window fitting from outside, but also against the break-in methods of piercing the glass seal or drilling the frame in order to be able to turn the window handle from outside.

The advantages

- Protection against break-ins by piercing the glass seal, drilling the frame or manipulating the hardware
- Automatic locking function when the window is closed (0°) and when tilted (180°)
- Certified according to RAL
- With adjustable spindle VarioFit®
- Also available with cylinder locking

Serie Hamburg



Serie Toulon



Window handles with SecuForte® received one of the “Best Innovation” awards at the Innovation Competition held at the EQUIPBAIE 2018 Exhibition in Paris.



New protection principle = New actuation of window handle

SecuForte® handles are moved differently than usual, but very simply all the same. To open the window, the handle is first pushed in the direction of the rosette ①. This releases the locking and the handle can be turned as usual ②.

When closing or tilting the window, the handle is locked and can only be operated by pushing it again.




The principle of “push to turn” has been around for a long time. It is used, for example, in child-proof bottles for dangerous materials such as medications and cleaning products, to make the container virtually impossible to be opened by children and protect them against injuries that may be caused by the content of the bottle.

More window security with SecuForte®


Window handles with SecuForte® are locked when the window is closed or tilted, which means the handle and the square spindle are not connected. A burglar may be able to reach the handle by piercing the glass seal or drilling the frame and break it off the rosette using massive physical force, yet the spindle will not move.

Result: The window cannot be opened and the break-in attempt will have failed.



Automatic handle locking

In the 0° and 180° position, a spring ① within the handle becomes released and separates a coupling element ② from its counterpart on the square spindle. The handle function – meaning the connection between the handle and the square spindle – is disabled. At the same time, the coupling element ② interlocks with a part of the rosette base and a steel plate reinforcement ③ and locks the handle.



Push to turn

If the handle is pushed in the direction of the rosette, the spring ① is compressed and the coupling element ② re-establishes the connection between the handle and the square spindle (thereby restoring the handle function). At the same time, the handle is unlocked and can be turned as usual.

In the open position (90°) the handle remains unlocked and will not need to be pushed again in order to be turned.

HOPPE Holding AG
Via Friedrich Hoppe
CH-7537 Müstair
Tel. +41 81 851 6600
Fax +41 81 851 6666
info.ch@hoppe.com
www.hoppe.com

HOPPE AG
Am Plausdorfer Tor 13
D-35260 Stadtallendorf
Tel. +49 6428 932-0
Fax +49 6428 932-220
info.de@hoppe.com
www.hoppe.com

HOPPE AG
Via Friedrich Hoppe
CH-7537 Müstair
Tel. +41 81 851 6600
Fax +41 81 851 6666
info.ch@hoppe.com
www.hoppe.com

HOPPE AG
Industriezone 1/5 – Eurocenter
I-39011 Lana (BZ)
Tel. +39 0473 640111
Fax +39 0473 641359
info.it@hoppe.com
www.hoppe.com